

DATABASE-GENERATED CONTENT PAGES

Bootstrap starter template

Use this document as a way to quickly start any new project.
All you get is this text and a mostly barebones HTML document.



```
1 <?php
2
3     include_once 'db.php';
4     $rootDir = '/example-05a';
5
6 ?>
7 <!DOCTYPE html>
8 <html lang="en">
9 <head>
10    <meta charset="utf-8">
11    <meta http-equiv="X-UA-Compatible" content="IE=edge">
12    <meta name="viewport" content="width=device-width, initial-scale=1">
13    <title>Database Example</title>
14
15    <!-- Bootstrap -->
16    <link href="<?= $rootDir ?>/css/bootstrap.min.css" rel="stylesheet" t
17    <link href="<?= $rootDir ?>/css/starter-template.css" rel="stylesheet"
18 </head>
19 <body>
20
```

```
1 <?php
2
3     include_once 'db.php';
4     $rootDir = __DIR__ . '/example-05a';
5
6 ?>
7 <!DOCTYPE html>
8 <html lang="en">
9 <head>
10    <meta charset="utf-8">
11    <meta http-equiv="X-UA-Compatible" content="IE=edge">
12    <meta name="viewport" content="width=device-width, initial-scale=1">
13    <title>Database Example</title>
14
15    <!-- Bootstrap -->
16    <link href="<?= $rootDir ?>/css/bootstrap.min.css" rel="stylesheet" t
17    <link href="<?= $rootDir ?>/css/starter-template.css" rel="stylesheet"
18 </head>
19 <body>
20
```

```
index.php x

16     <link href="= $rootDir ?/css/bootstrap.min.css" rel="stylesheet" t
17     <link href="= $rootDir ?/css/starter-template.css" rel="stylesheet"
18 </head>
19 <body>
20
21 <? include_once 'menu.php'; ?>
22
23 <div class="container">
24
25
26     <div class="starter-template">
27         <h1>Bootstrap starter template</h1>
28         <p class="lead">Use this document as a way to quickly start any n
29     </div>
30
31     <div class="row">
32
33 <?php
34
35     $characterQuery = 'SELECT * FROM Characters';
```

```
index.php x

16     <link href="= $rootDir ?/css/bootstrap.min.css" rel="stylesheet" tE
17     <link href="= $rootDir ?/css/starter-template.css" rel="stylesheet"
18 </head>
19 <body>
20
21 <? include_once 'menu.php'; ?>
22
23 <div class="container">
24
25
26     <div class="starter-template">
27         <h1>Bootstrap starter template</h1>
28         <p class="lead">Use this document as a way to quickly start any n
29     </div>
30
31     <div class="row">
32
33 <?php
34
35     $characterQuery = 'SELECT * FROM Characters';
```

```
index.php x

31     <div class="row">
32
33 <?php
34
35     $characterQuery = 'SELECT * FROM Characters';
36     $characterQuery .= ' ORDER BY DisplayOrder';
37     $characterResult = mysql_query($characterQuery);
38     while ($characterLine = mysql_fetch_array($characterResult)) {
39         echo '
40             <div class="col-sm-6 col-md-6">
41                 <a href="' . $rootDir . '/character.php?CharacterIndex=' . $c
42             </div>';
43     }
44
45 ?>
46
47     </div>
48
49     <div class="row">
50         <div class="col-md-12">
```

```
31     <div class="row">
32
33     <?php
34
35         $characterQuery = 'SELECT * FROM Characters';
36         $characterQuery .= ' ORDER BY DisplayOrder';
37         $characterResult = mysql_query($characterQuery);
38         while ($characterLine = mysql_fetch_array($characterResult)) {
39             echo '
40                 <div class="col-sm-6 col-md-6">
41                     <a href="' . $rootDir . '/character.php?CharacterIndex=' . $c
42                 </div>';
43         }
44
45     ?>
46
47     </div>
48
49     <div class="row">
50         <div class="col-md-12">
```

```
31     <div class="row">
32
33 <?php
34
35     $characterQuery = 'SELECT * FROM Characters';
36     $characterQuery .= ' ORDER BY DisplayOrder';
37     $characterResult = mysql_query($characterQuery);
38     while ($characterLine = mysql_fetch_array($characterResult)) {
39         echo '
40             <div class="col-sm-3 col-md-3">
41                 <a href="' . $rootDir . '/character.php?CharacterIndex=' . $c
42             </div>';
43     }
44
45 ?>
46
47     </div>
48
49     <div class="row">
50         <div class="col-md-12">
```

```
<A HREF=""><IMG SRC=""></A>
```

We are using an image as a link to a character page. The character page is identified using a `CharacterIndex` which refers to a specific row in our table.

```
<a href="" . $rootDir . '/character.php?CharacterIndex=' . $characterLine["CharacterIndex"] . '">  
    <img src="" . $rootDir . '/images/' . $characterLine["Image"] . '" class="img-thumbnail img-responsive" />  
</a>
```

`$rootDir` = "/example-05a/"

`$characterLine` = [refers to the database table *Characters*]

`["CharacterIndex"]` = [used to identify the character we want to show]

`["Image"]` = [the image filename for the character we want to show]

```
<A HREF=""><IMG SRC=""></A>
```

We are using an image as a link to a character page. The character page is identified using a CharacterIndex which refers to a specific row in our table.

```
<a href="" . $rootDir . '/character.php?CharacterIndex=' . $characterLine["CharacterIndex"] . '">  
    <img src="" . $rootDir . '/images/' . $characterLine["Image"] . '" class="img-thumbnail img-responsive" />  
</a>
```

+ Options						
	CharacterIndex	Name	RealName	Image	Description	DisplayOrder
<input type="checkbox"/>   	1	batman	Batman	Bruce Wayne	batman-sm.jpg	The central fixed event in the Batman stories is t...
<input type="checkbox"/>   	2	joker	Joker	Joe Chill	joker-sm.jpg	Though a number of backstories have been given, a ...
<input type="checkbox"/>   	3	superman	Superman	Clark Kent	superman-sm.jpg	Given the serial nature of comic book publishing a...
<input type="checkbox"/>   	4	lex-luthor	Lex Luther	Lex Luther	lex-luthor-sm.jpg	As part of the continuity changes which followed T...
<input type="checkbox"/>   	5	wonder-woman	Wonder Woman	Diana Prince	wonder-woman-sm.jpg	The events of Crisis on Infinite Earths greatly ch...
<input type="checkbox"/>   	6	cheetah	Cheetah	Priscilla Rich	cheetah-sm.jpg	The first woman to become the Cheetah, in Wonder W...

```
31     <div class="row">
32
33     <?php
34
35         $characterQuery = 'SELECT * FROM Characters';
36         $characterQuery .= ' ORDER BY DisplayOrder';
37         $characterResult = mysql_query($characterQuery);
38         while ($characterLine = mysql_fetch_array($characterResult)) {
39             echo '
40                 <div class="col-sm-6 col-md-6">
41                     <a href="' . $rootDir . '/character.php?CharacterIndex=' . $c
42                 </div>';
43         }
44
45     ?>
46
47     </div>
48
49     <div class="row">
50         <div class="col-md-12">
```

Bootstrap starter template

Use this document as a way to quickly start any new project.
All you get is this text and a mostly barebones HTML document.



Batman

(Real Name: Bruce Wayne)



The central fixed event in the Batman stories is the character's origin story. As a young boy, Bruce Wayne was horrified and traumatized when he watched his parents, the physician Dr. Thomas Wayne and his wife Martha, murdered by a mugger with a gun. Batman refuses to utilize any sort of gun on the principle that a gun was used to murder his parents. This event drove him to train his body to physical perfection and fight crime in Gotham City as Batman. Pearson and Uricchio also noted beyond the origin story and such events as the introduction of Robin, "Until recently, the fixed and accruing and hence, canonized, events have been few in number".[70] a situation altered by an increased effort by later Batman editors such as Dennis O'Neil to ensure consistency and continuity between stories.

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```

Batman

(Real Name: Bruce Wayne)

Project name

Home

Batman

Joker

Superman

Lex Luther

Wonder Woman

Cheetah

+ Options

CharacterIndex	Name	RealName	Image	Description	DisplayOrder
<input type="checkbox"/>    batman	Batman	Bruce Wayne	batman-sm.jpg	The central fixed event in the Batman stories is t...	1
<input type="checkbox"/>    joker	Joker	Joe Chill	joker-sm.jpg	Though a number of backstories have been given, a ...	2
<input type="checkbox"/>    superman	Superman	Clark Kent	superman-sm.jpg	Given the serial nature of comic book publishing a...	3
<input type="checkbox"/>    lex-luther	Lex Luther	Lex Luther	lex-luther-sm.jpg	As part of the continuity changes which followed T...	4
<input type="checkbox"/>    wonder-woman	Wonder Woman	Diana Prince	wonder-woman-sm.jpg	The events of Crisis on Infinite Earths greatly ch...	5
<input type="checkbox"/>    cheetah	Cheetah	Priscilla Rich	cheetah-sm.jpg	The first woman to become the Cheetah, in Wonder W...	6



recently, the fixed and accruing and hence, canonized, events have been few in number",[70] a situation altered by an increased effort by later Batman editors such as Dennis O'Neil to ensure consistency and continuity between stories.

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```

+ Options

← →

	CharacterIndex	Name	RealName	Image	Description	DisplayOrder	
<input type="checkbox"/>	Edit  Copy  Delete 	batman	Batman	Bruce Wayne	batman-sm.jpg	The central fixed event in the Batman stories is t...	1
<input type="checkbox"/>	Edit  Copy  Delete 	joker	Joe Chill	joker-sm.jpg	Through a number of backstories have been given, a ...	2	
<input type="checkbox"/>	Edit  Copy  Delete 	superman	Clark Kent	superman-sm.jpg	Given the serial nature of comic book publishing a...	3	
<input type="checkbox"/>	Edit  Copy  Delete 	lex-luthor	Lex Luther	lex-luthor-sm.jpg	As part of the continuity changes which followed T...	4	
<input type="checkbox"/>	Edit  Copy  Delete 	wonder-woman	Diana Prince	wonder-woman-sm.jpg	The events of Crisis on Infinite Earths greatly ch...	5	
<input type="checkbox"/>	Edit  Copy  Delete 	cheetah	Priscilla Rich	cheetah-sm.jpg	The first woman to become the Cheetah, in Wonder W...	6	

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```

```
$characterLine[“CharacterIndex”]      =      batman
$characterLine[“Name”]                  =      Batman
$characterLine[“RealName”]              =      Bruce Wayne
$characterLine[“Image”]                 =      batman-sm.jpg
$characterLine[“Description”]          =      [description from db]
```

Batman

(Real Name: Bruce Wayne)

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```

\$characterLine[“Name”]
Batman

\$characterLine[“RealName”]



The central fixed event in the Batman stories is the character's origin story. As a young boy, Bruce Wayne was horrified and traumatized when he watched his parents, the physician Dr. Thomas Wayne and his wife Martha, murdered by a mugger with a gun. Batman refuses to utilize any sort of gun on the principle that a gun was used to murder his parents. This event drove him to become a vigilante to physical punishment and fight crime in Gotham City as Batman. Pearson and Uricchio also noted beyond the origin story and such events as the introduction of Robin, "Until recently, the fixed and accruing and hence, canonized, events have been few in number", [70] a situation altered by an increased effort by later Batman editors such as Dennis O'Neil to ensure consistency and continuity between stories.

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```

Batman

(Real Name: Bruce Wayne)



The central fixed event in the Batman stories is the character's origin story. As a young boy, Bruce Wayne was horrified and traumatized when he watched his parents, the physician Dr. Thomas Wayne and his wife Martha, murdered by a mugger with a gun. Batman refuses to utilize any sort of gun on the principle that a gun was used to murder his parents. This event drove him to train his body to physical perfection and fight crime in Gotham City as Batman. Pearson and Uricchio also noted beyond the origin story and such events as the introduction of Robin, "Until recently, the fixed and accruing and hence, canonized, events have been few in number".[70] a situation altered by an increased effort by later Batman editors such as Dennis O'Neil to ensure consistency and continuity between stories.

```
$characterQuery = 'SELECT * FROM Characters';
$characterQuery .= ' WHERE CharacterIndex = "' . $_GET["CharacterIndex"] . '"';
$characterResult = mysql_query($characterQuery);
$characterLine = mysql_fetch_array($characterResult);
```